


Standardní čelist  
Abgestufte Hartbacke  
Solid hard jaw  
Mâchoire standard  
Каленный кулачок



Tvrdá vnější čelist SCV  
Aussenhartbacke SCV  
Hard outside jawe SCV  
Mâchoire dure extérieure SCV  
Внешний SCV

## TYP 243849.0



Tvrdá vnitřní čelist SCN  
Innenhartbacke SCN  
Hard inside jawe SCN  
Mâchoire dure intérieure SCN  
Внутренний SCN

## TYP 243850.0



Ø	3 𠄎		4 𠄎		6 𠄎	
		kg		kg		kg
80	083200	0,043	084200	0,04	—	—
100	103200	0,082	104200	0,08	—	—
125	123200	0,14	124200	0,14	126100	0,14
160	163200	0,24	164200	0,23	166100	0,22
200	203200	0,46	204200	0,45	206100	0,42
250	253200	0,73	254200	0,72	256100	0,71
315	313200	1,33	314200	1,28	316100	1,22
400	403200	2,04	404200	1,96	406100	1,92
500	503100	3,82	503100	3,58	506100	3,44

Ø	E	F	G	H	J	K <sup>(1)</sup>	L <sup>(1)</sup>	M	N <sup>(2)</sup>	O <sup>(2)</sup>	S
80	35,5	10	27	5,9	5	10,5	12,5	6	11,0	12,5	6
100	41,5	14	34	5,9	7	10,5	17,0	8	11,0	17,0	6
125	51,5	16	36	5,9	7	13,0	20,5	8	13,5	20,5	6
160	66,0	18	42	7,4	7	21,5	20,5	10	22,0	20,5	6
200	79,0	22	54	9,9	8	20,0	36,0	12	16,0	36,0	8
250	103,5	25	58	9,9	8	22,5	49,0	14	25,0	49,0	8
315	123,0	32	71	11,9	12	27,5	62,0	16	30,5	62,0	10
400	152,5	32	86	14,9	12	41,5	66,0	20	43,0	66,0	12
500	188,5	42	95	17,3	15	55,5	70,0	20	63,0	70,0	12


1) pouze pro SCV  
nur für SCV  
for SCV only  
pour SCV seulement  
только для SCV

Upínací plochy jsou broušeny, prodej v sadách  
Backenspannflächen werden geschliffen, Verkauf im Satz  
Camping surfaces are grand, sale at sets  
Les dents et les surface, vente par jeu  
Зажимные площадки кулачков, продажа в комплектах

2) pouze pro SCN  
nur für SCN  
for SCN only  
pour SCN seulement  
только для SCN

Monobloková čelist MC  
Ungestufte Backe MC  
Solid soft jaw MC  
Mâchoire monobloc MC  
Полусырой кулачок MC

**TYP 243834.0**



Ø	3 Ц		4 Ц		6 Ц	
		kg		kg		kg
80	083300	0,07	084300	0,07	—	—
100	103300	0,14	104300	0,14	—	—
125	123300	0,21	124300	0,21	126300	0,21
160	163300	0,36	164300	0,36	166300	0,36
200	203300	0,58	204300	0,58	206300	0,58
250	253300	1,00	254300	1,00	256300	1,00
315	313300	2,04	314300	2,04	316300	2,04
400	403300	2,98	404300	2,98	406300	2,98
500	503300	5,32	504300	5,32	406300	5,32


Ø	E	F	G	H	J	S
80	10	27,9	37,2	5	5,9	6
100	14	34,9	43,2	7	5,9	6
125	16	36,9	53,2	7	5,9	6
160	18	43,1	67,9	7	7,4	6
200	22	55,1	79,0	8	9,9	8
250	25	58,6	103,0	8	9,9	8
315	32	72,4	125,0	12	11,9	10
400	32	87,4	153,5	12	14,9	12
500	42	95,0	190,0	15	17,3	12

Prodej v sadách.  
Verkauf im Satz.  
Sale at sets.  
Vente par jeu.  
Продажа в комплектах

Reverzní čelist RCB  
(základní čelist ZC a tvrdý reverzní nástavec NT)  
Umkehrbacke RCB  
(Grundbacke ZC und Hart-Umkehraufsatz NT)  
Reversible jaw RCB  
(base jaw ZC and hard reversible top jaw NT)

Mâchoire réversible RCB  
(mâchoire de base ZC et allonge réversible dure NT)  
Оборотный кулачок RCB  
(каленный кулачок ZC и твердый оборотный накладный кулачок NT)

**TYP 243875.2**





Ø	3 Ц		4 Ц		6 Ц	
		kg		kg		kg
100	103000	0,16	104000	0,16	—	—
125	123000	0,27	124000	0,26	126000	0,25
160	163000	0,40	164000	0,39	166000	0,38
200	203000	0,72	204000	0,70	206000	0,70
250	253000	1,10	254000	1,07	256000	1,05
315	313000	1,71	314000	1,67	316000	1,65
400	403000	2,70	404000	2,65	406000	2,60
500	503000	5,10	504000	5,02	506000	4,94

Upínací plochy nástavce jsou broušeny.  
Die Spannfläche des Hart-Umkehraufsatzes Arden geschliffen.  
The clamping surfaces of top jaw are ground.  
Les surfaces de fixation de l'allonge ne sont rectifiées que sur commande spéciale.  
Зажимные площадки накладного кулачка

Prodej v sadách.  
Verkauf im Satz.  
Sale at sets.  
Vente par jeu.  
Продажа в комплектах

Základní čelist ZC  
Grundbacke ZC  
Base jaw ZC  
Mâchoire de base ZC  
Каленный кулачок ZC

**TYP 243853.0**



Ø	3 Ц		4 Ц		6 Ц	
		kg		kg		kg
100	103100	0,08	104100	0,08	—	—
125	123100	0,12	124100	0,12	126100	0,12
160	163100	0,19	164100	0,18	166100	0,18
200	203100	0,38	204100	0,37	206100	0,37
250	253100	0,47	254100	0,46	256100	0,45
315	313100	0,85	314100	0,83	316100	0,82
400	403100	1,18	404100	1,15	406100	1,13
500	503100	2,20	504100	2,16	506100	2,13

Ø	E	F	G	H	J	K	L
100	41,5	14	26	19	9,50	5,8	2,6
125	52,0	16	28	25	9,50	5,8	2,6
160	65,0	18	32	29	12,67	7,7	3,6
200	75,6	22	40	35	12,67	7,6	3,5
250	90,5	25	40	41	19,03	7,6	3,5
315	125,5	32	42	50	19,03	7,7	3,6
400	127,5	32	54	57	19,03	10,3	3,2
500	165,0	42	66	57/95	2×19,03	10,3	3,2

Ø	M	N	O	P	R	S
100	6,4	M 6	11	19,0	6,35	6
125	8,4	M 6	15	22,2	6,35	6
160	9,4	M 8	19	38,0	7,92	6
200	11,5	M 8	22	44,4	7,92	8
250	11,5	M 12	22	54,0	12,70	8
315	7,4	M 12	25	63,5	12,70	10
400	14,9	M 16	28	76,0	12,70	12
500	21,5	M 20	32	2×76	12,70	12

Prodej v sadách.  
Verkauf im Satz.  
Sale at sets.  
Vente par jeu.  
Продажа в комплектах

### Měkká dělená čelist MD

(základní čelist SM a nástavec měkký ND nebo NC)

### Weiche geteilte Backe MD

(Grundbacke SM und Weich-Aufsatzbacke ND oder NC)

### Soft sectional jaw MD

(base jaw SM and soft top jaw ND or NC)


### Mâchoire divesée molle MD

(Mâchoire de base SM et allonge molle ND ou NC)

### Накладный кулачок MD

(Рейка SM и накладный кулачок ND или NC)

## TYP 243876.0



Ø	2 Ɔ		3 Ɔ		4 Ɔ	
		kg		kg		kg
80	—	—	083300	0,12	084300	0,12
100	102300	0,29	103300	0,22	104300	0,22
125	122300	0,49	123300	0,34	124300	0,34
160	162300	0,83	163300	0,57	164300	0,57
200	202300	1,37	203300	1,03	204300	1,03
250	252300	2,25	253300	1,52	254300	1,52
315	312300	5,25	313300	3,98	314300	3,98
400	402300	5,71	403300	4,65	404300	4,65
500	502300	8,69	503300	8,69	504300	8,69

Prodej v sadách.

Verkauf im Satz.

Sale at sets

Vente par jeu.

Продажа в комплектах

### Základní čelist SM



Grundbacke SM

Base jaw SM

Mâchoire de base SM

Рейка SM

## TYP 243855.0



Ø	2 Ɔ		3 Ɔ		4 Ɔ	
		kg		kg		kg
100	102000	0,09	103000	0,09	104000	0,09
125	122000	0,11	123000	0,11	124000	0,11
160	162000	0,16	163000	0,16	164000	0,16
200	202000	0,34	203000	0,34	204000	0,34
250	252000	0,51	253000	0,51	254000	0,51
315	312000	0,95	313000	0,95	314000	0,95
400	402000	1,32	403000	1,32	404000	1,32
500	502000	2,17	503000	2,17	504000	2,17

Ø	E	F	G	H	J	K	L	M	N	O	S
100	43	14	25	16,5	10	3	5,3	M 5	11	20	6
125	52	16	25	20,0	12	3	5,3	M 5	10	28	6
160	64	18	26	26,0	12	3	4,0	M 6	10	38	6
200	77	22	32	31,5	14	3	4,0	M 10	15	48	8
250	101	25	32	43,5	14	3	4,0	M 10	15	55	8
315	125	32	44	52,5	20	4	5,0	M 12	18	60	10
400	150	32	48	65,0	20	4	5,0	M 12	18	70	12
500	189	42	54	84,5	20	5	6,0	M 16	20	90	12

Prodej v sadách.

Verkauf im Satz.


Sale at sets.

Vente par jeu.

Продажа в комплектах

Tvrký reverzní nástavec NT  
Hart-Umkehraufstz NT  
Hard reversible top jaw NT  
Allonge réversible dure NT  
Твёрдый оборотный кулачок NT

**TYP 243854.0**



Ø	3Ц		4Ц		6Ц	
		kg		kg		kg
100	103000	0,08	104000	0,07	—	—
125	123000	0,14	124000	0,13	126000	0,13
160	163000	0,19	164000	0,18	156000	0,18
200	203000	0,31	204000	0,30	206000	0,30
250	253000	0,55	254000	0,54	256000	0,53
315	313000	0,78	314000	0,76	316000	0,75
400	403000	1,36	404000	1,34	406000	1,31
500	503000	2,57	504000	2,52	506000	2,48

Ø	E	F	G	H	J	K	L	N	O	P	R	S	T	U	V
100	46,5	15,75	29	19	9,50	2,4	3,6	11	6,4	7,1	19,0	11,0	17,5	6,40	4,76
125	56,0	18,80	33,6	24	9,50	2,4	3,6	11	6,4	8,0	22,2	13,0	20,6	6,40	6,35
160	67,0	24,80	40,0	29	12,67	3,0	4,3	15	8,4	9,5	38,0	16,0	28,6	7,95	12,70
200	76,0	24,00	43,0	35	12,67	3,0	4,3	15	8,4	10,3	44,4	20,3	29,4	7,95	15,87
250	91,0	30,00	53,0	40	19,03	3,0	4,3	20	13,0	12,7	54,0	27,5	31,8	12,70	17,50
315	108,0	33,00	56,0	48	19,03	3,0	4,3	20	13,0	14,3	63,5	29,0	39,7	12,70	22,20
400	128,0	38,00	68,0	57	19,03	6,4	4,3	26	17,0	16,0	76,0	47,5	34,1	12,70	28,60
500	133,0	48,00	80,0	57	19,03	6,4	4,3	32	21,0	20,0	76,0	51,2	33,2	12,70	28,60

Upínací plochy nástavce nejsou broušeny.

Die Spannflächen des Hart-Umkehraufsatzes Arden nicht geschliffen.

The clamping surfaces of top jaw are not ground.

Les surfaces de fixation de l'allonge ne sont rectifiées quo sur commande spéciale.

Зажимные площадки накладного кулачка без шлифования

Prodej v sadách.

Verkauf im Satz.


Sale at sets.

Vente par jeu.

Продажа в комплектах

Nástavec měkký NM  
Weiche Aufsatzbacke NM  
Top soft jaw NM  
Allonge molle NM  
Накладный кулачок мягкий NM

**TYP 243831.0**



Ø	3Ц		4Ц		6Ц	
		kg		kg		kg
100	103300	0,15	104300	0,15	—	—
125	123300	0,30	124300	0,30	126300	0,30
160	163300	0,36	164300	0,36	166300	0,36
200	203300	0,54	204300	0,54	206300	0,54
250	253300	1,01	254300	1,01	256300	1,01
315	313300	1,44	314300	1,44	316300	1,44
400	403300	2,01	404300	2,01	406300	2,01
500	503300	2,95	504300	2,95	506300	2,95

Ø	E	F	G	H	J	K	L	M	N	O	P	R
100	51	16	32	24	9,50	2,4	3,6	11	6,4	19,0	6,40	19,0
125	74	20	32	32	9,50	2,4	3,6	11	6,4	26,0	6,40	22,2
160	77	20	40	32	12,67	3,0	4,3	15	8,4	19,5	7,95	38,0
200	88	25	40	38	12,67	3,0	4,3	15	8,4	22,0	7,95	44,4
250	106	30	50	43	19,03	3,0	4,3	20	13,0	26,0	12,70	54,0
315	124	33	56	52	19,03	3,0	4,3	20	13,0	30,0	12,70	63,5
400	139	38	68	60	19,03	6,4	4,3	26	17,0	32,0	12,70	76,0
500	144	48	78	64	19,03	6,4	4,3	34	21,0	36,0	12,70	76,0

Prodej v sadách.  
Verkauf im Satz.  
Sale at sets.  
Vente par jeu.  
Продажа в комплектах


Nástavec měkký ND  
Weich-Aufsatzbacke ND  
Soft top jaw ND  
Allonge molle ND  
Накладный кулачок ND

## TYP 243856.0



Nástavec měkký NC  
Weich-Aufsatzbacke NC  
Soft top jaw NC  
Allonge molle NC  
Накладный кулачок NC

## TYP 243857.0



Prodej po kusech, Verkauf auf Stück, Sale at reces, Vente par pieces, Продажа по штуку

Ø	2 𠄎		3 𠄎		4 𠄎	
	TYP 243856.0		TYP 243857.0			
		kg		kg		kg
100	102300	0,19	103300	0,12	104300	0,12
125	122300	0,37	123300	0,22	124300	0,22
160	162300	0,67	163300	0,40	164300	0,40
200	202300	0,98	203300	0,65	204300	0,65
250	252300	1,69	253300	0,96	254300	0,96
315	312300	3,28	313300	2,01	314300	2,01
400	402300	4,32	403300	3,26	404300	3,26
500	502300	6,34	503300	6,34	504300	6,34

Ø	E	F1)	F2)	G1)	G2)	H	J	K	L	N	O	P	R
100	50	26	20	26	20	20,0	10	3	6,5	10	5,3	20	14
125	65	30	20	35	25	24,0	12	3	6,5	10	5,3	28	16
160	75	30	25	40	40	31,5	12	3	6,5	11	6,4	38	18
200	95	40	30	40	40	40,5	14	3	6,5	18	10,5	48	22
250	120	45	35	50	40	53,0	14	3	6,5	18	10,5	55	25
315	140	50	40	60	60	60,0	20	4	8,5	20	13,0	60	32
400	165	50	40	70	70	72,5	20	4	8,5	20	13,0	70	32
500	205	60	60	90	90	92,5	20	4	9,5	26	17,0	90	42


1) pouze pro ND  
nur für ND,  
for ND only  
pour ND seulement  
всего для ND

2) pouze pro NC  
nur für NC  
for NC only  
pour NC seulement  
всего для NC

Spirálové kolo  
Spiralring (Zahnkranz)  
Scroll  
Roue spirale  
Спиральное кольцо

**TYP 243861.0**  
**TYP 243881.0**  
**TYP 243887.0**

TYP 243861.0 - IUS, IUZ, IUT, IUD, IUM  
TYP 243881.0 - IUG, IUH, IUGO, IUHO, IUPG, IUHPG  
TYP 243887.0 - IUPS, IUHPS




ø	TYP 243861.0			TYP 243881.0			TYP 243887.0		
		kg	A		kg	A		kg	A
80	080000	0,11	30	080000	0,15	26,000	—	—	—
100	100000	0,22	40	100000	0,28	34,000	—	—	—
125	120000	0,43	50	120000	0,41	53,972	—	—	—
160	160000	0,60	84	160000	0,64	69,847	160000	0,64	69,847
200	200000	1,17	100	200000	1,25	85,722	200000	1,25	85,722
250	250000	2,33	132	250000	2,43	120,647	250000	2,43	130,170
315	310000	4,56	168	310000	4,85	155,575	310000	4,85	155,575
400	400000	6,86	225	400000	7,22	180,000	400000	7,22	196,850
500	500000	11,20	270	500000	11,20	270,000	—	—	—

Pastorek  
Trieb (Ritzel)  
Pinion  
Pignon  
Шестерня

**TYP 243862.0**  
**TYP 243882.0**  
**TYP 243888.0**



TYP 243862.0 - IUS, IUZ, IUT, IUD, IUM  
TYP 243882.0 - IUG, IUH, IUGO, IUHO, IUPG, IUHPG  
TYP 243888.0 - IUPS, IUHPS



ø	TYP 243862.0				TYP 243882.0				TYP 243888.0			
		kg	A	B		kg	A	B		kg	A	B
80	080000	0,03	20,0	28,5	080000	0,04	20,0	30,5	—	—	—	—
100	100000	0,05	22,0	34,0	100000	0,06	22,0	37,0	—	—	—	—
125	120000	0,05	22,0	43,0	120000	0,08	27,0	42,0	—	—	—	—
160	160000	0,06	25,0	43,0	160000	0,10	28,6	51,0	160000	0,10	28,6	51,0
200	200000	0,12	27,0	59,0	200000	0,13	30,2	65,0	200000	0,13	30,2	65,0
250	250000	0,19	33,0	66,5	250000	0,24	33,4	78,0	250000	0,24	33,4	78,0
315	310000	0,36	40,0	84,0	310000	0,37	40,0	92,0	310000	0,37	34,9	92,0
400	400000	0,53	44,0	102,0	400000	0,62	44,0	122,0	400000	0,62	41,2	118,0
500	500000	1,05	44,0	129,0	500000	1,05	44,0	129,0	—	—	—	—

Tvrdá reverzní čelist LC  
Hart-Umkehrbacke LC  
Hard reversible jaw LC  
Mâchoire réversible dure LC  
Твёрдый обратный кулачок LC

**TYP 243872.0**




4čelistní – sada / 4Backen-Satz / 4 jaw – set / 4 mâchoires jeu / 4 кулачок - комплект

Ø		kg
85	080000	0,06
100	100000	0,08
125	120000	0,12
160	160000	0,20
200	200000	0,55
250	250000	0,55
315	310000	1,00
350	350000	1,00
400	400000	1,00

Ø	E	F	G	H	J	K	L	M
85	34	14	34	5,9	7,0	9	9	8
100	41	14	34	5,9	7,0	10	12	8
125	51	16	36	5,9	7,0	10	20	8
160	47	24	39	8,0	10,3	13	17	8
200	75	32	54	11,0	12,3	19	24	12
250	75	32	54	11,0	12,3	19	24	12
315	100	36	63	12,0	15,3	30	35	14
350	100	36	63	12,0	15,3	30	35	14
400	100	36	63	12,0	15,3	30	35	14

Šroub  
Schraube  
Bolt  
Vis  
Болт

**TYP 243871.0**




Ø		kg	D	L
85	080000	0,03	16,0	29
100	100000	0,05	16,0	37
125	120000	0,07	18,0	48
160	160000	0,08	17,9	56
200	200000	0,17	23,9	73
250	250000	0,22	23,9	93
315	310000	0,37	26,9	117
350	350000	0,44	26,9	135
400	400000	0,53	26,9	145



Upínací klíč s pružinou  
Spannschlüssel mit Springfeder  
Key with spring  
Clé de serrage  
Ключ с пружиной


**TYP 243864.0**



Ø		kg	E	F	S
80	080000	0,11	105	65	6
100	100000	0,18	130	75	6
125	120000	0,18	170	95	8
160	160000	0,32	200	115	9
200	200000	0,75	260	145	11
250	250000	0,96	315	165	12
315	310000	1,39	350	180	14
400	400000	2,03	450	250	17
500	500000	2,03	450	250	17

Pojišťovací kolík pastorku  
Triebhalteschraube  
Locking pin of pinion  
Goupille de sûreté du pignol  
Закрепляющий штифт шестерни


**TYP 243863.0**



Ø		kg	G	D	L
80	080000	0,01	M5	4,0	34
100	100000	0,01	M5	4,0	34
125	120000	0,01	M6	4,7	40
160	160000	0,01	M6	4,7	40
200	200000	0,01	M6	4,7	40
250	250000	0,01	M6	4,7	45
315	310000	0,02	M8	6,3	60
400	400000	0,03	M10	8,1	66
500	500000	0,03	M10	8,1	66

Upínací klíč s pružinou pro LUD  
Spannschlüssel mit Springfeder für LUD  
Key with spring for LUD  
Clé de serrage pour LUD  
Ключ с пружиной для LUD

**TYP 243870.0**




Ø		kg	E	F	G
85	080000	0,11	105	65	6
100	100000	0,18	130	75	6
125	120000	0,18	170	95	8
160	160000	0,32	200	130	8
200	200000	0,75	250	165	12
250	250000	0,96	250	165	12
315	310000	1,39	300	180	14
350	350000	2,03	300	180	14
400	400000	2,03	300	180	14

# ND

Náhradní díly  
Ersatzteile  
Spare Parts  
Pièces de rechange  
Запасные части

Závitový čep a matice  
Stehbolzen und Bundmutter  
Bolt and nut  
Axe fileté et écrou  
Червячный палец и гайка

**TYP 243867.0**




DIN 55027  
ISO 702/III  
ČSN ISO 702/III

Velikost kužele  
Kegelgröße  
Taper size  
Grandeur du cône  
Размер конуса

			E	kg
3	000043		M10	0,056
4	000044		M10	0,057
5	000045		M10	0,078
6	000046		M12	0,115
8	000048		M16	0,227
11	000041		M20	0,440

Čep Camlock a šroub  
Stehbolzen für Camlock und Schraube  
Pin for Camlock and bolt  
Cheville camlock et vis  
Палец Camlock и болт

**TYP 243869.0**



DIN 55029 inch  
ISO 702/II inch  
ČSN ISO 702/II inch

Velikost kužele  
Kegelgröße  
Taper size  
Grandeur du cône  
Размер конуса

		E	F	kg
3	000063	7/16"-20	1/4"-20	0,054
4	000064	7/16"-20	1/4"-20	0,064
5	000065	1/2"-20	1/4"-20	0,104
6	000066	5/8"-18	5/16"-18	0,174
8	000068	3/4"-16	5/16"-18	0,264
11	000061	7/8"-14	5/16"-18	0,439